国安赛尔

NewSaier

Wechat

WhatsApp

江苏咖乐新智能科技有限公司

Jiangsu Kale Intelligent Technology Co., Ltd

常州国安赛尔/广州赛尔猫 售货机

Changzhou New Saier Packaging Machinery Co. ,Ltd

江苏工厂:江苏省常州市武进区牛塘镇工业园区

Jiangsu Factory: industrial Park, Niutang Town, Wujin District, Changzhou City, Jiangsu Province

广州工厂:广州番禺区石基镇华创动漫产业园

Guangzhou Factory: Huachuang Animation Industry Park, Shii Town, Panyu District, Guangzhou

联系电话:0519-88258627

公司传真:0519-88255612　+86-0519-83898980(Int’iDept)

www.newsaier.com

2025.9

NewSaier

赛尔猫®
SAIER CAT
since 2006

国安赛尔

咖啡/饮料/果汁/无人自助设备一站式服务商

One stop service for coffee/juicer/smart vending machine















公司简介 Company Profile

常州国安赛尔包装机械有限公司成立于 2006 年，地处江苏常州武进区，厂房面积超一万平方米，员工百余人。至公司成立起专注于产品的设计和开发，拥有自己的研发中心和模具设计团队，公司现有多台先进设备 ，可独立设计加工各种钣金件，齿轮件，注塑件及电子电路板。公司产品顺利通过IS0900,CE,ETL,NSF等各种认证，分别在美国波士顿,巴西圣保罗，阿联酋迪拜，法国巴黎设有售后服务中心。

我们拥有一支充满活力和经验丰富的研发团队，遵循以人为本的设计理念，并利用精致的加工技术 。我们的产品线包括各种自动售货机和榨汁机，如橙汁/苹果汁/冰淇淋/棉花糖/椰子/雪花冰/爆米花/宠物售货机/自助宠物清洗机，橙子/柠檬/甘蔗/多功能水果榨汁机，还有冷热果汁机，除了提供材料加工、原始设备制造（OEM）和工程定制等服务外，我们的产品非常适合国内和国际市场，包括亚洲、欧洲、南北美洲、澳大利亚和其他地区。

Established in 2006, Changzhou New Saier Packaging Machinery Co., Ltd islocated inChangzhou, Jiangsu Province, covers an area of 10,000 square meters and has morethe 100 employees.The pursuit of quality products, providing first class service, maintaining thecredibility,is always the concept of New Saier.

We boast a dynamic and experienced research and developmentteam that follows a design philosophy centered around people and utilizes refined processing technology. 0ur product lineup includes various vending machines and juicers such as orange juice/apple juice/ice cream/cotton candy/coconut/snowflake/popcorn/pet supplier/pet wash vending amchine, oranges/lemon/sugarcane/mutifunctional fruitt juicers, also juice dispensers, among others in addition to offering services such as material processing, originalequipment manufacturing (0EM), and engineering customization, our products are well-suited for both domestic and international markets,includingAsia, Europe, North and South America, Australia, and other regions.

















公司现有The company currently

迪能500W和2000W激光切割机共4台
中亚数控剪板折弯机4台
600-9000克海太注塑机6台
山东产插齿机2台
沈机产五轴加工中心4台
线路板生产流水线1条
及各种现代化加工设备和检测设备一批

Four DiNeng 500W and 2000W laser cutting machines in total
4 Central Asia CNC cutting and bending machines
Six 600-9000 gram Haitai injection molding machines
Two gear hobbing machines produced in Shandong
Four five axis machining centers produced by Shenyang Machinery Industry
1 PCB production line
And a batch of various modern processing and testing equipment









无人自助贩卖机系列




橙汁贩卖机
ORANGE JUICE VENDING MACHINE



冰淇淋贩卖机
ICE CREAM VENDING MACHINE



巧克力豆售货机
CHOCOLATE BEAN VENDING MACHINE



棉花糖售货机
COTTON CANDY VENDING MACHINE



爆米花售货机
POPCORN VENDING MACHINE



售货机
SNACK & DRINK VENDING MACHINE



苹果汁售货机
APPLE JUICE VENDING MACHINE



现磨冷热咖啡机
BEAN-TO-CUP COLD&HOT COFFEE VENDING MACHINE



椰子售货机
COCONUT VENDING MACHINE



披萨机
PIZZA VENDING MACHINE



鲜果奶昔机
FRUIT SMOOTHIE MACHINE



机械手蛋筒冰淇淋
ROBERT ARM ICE CREAM MACHINE



自助手机壳打印机
PHONE CASE PRINTER



宠物洗澡机
PET BATH MACHINE



盒饭机
LUNCH BOX VENDING MACHINE



宠物用品售货机
PET SUPPLIES VENDING MACHINE

定制：支付方式、语言、外观
Customization: Payment method, language, appearance



纸币 Notes

信用卡 Credit Card

硬币 Coin

支持现金支付(纸币/硬币)，可定制不同币种

Pay in cash (paper currency/coins), customizable for different currencies

支持无现金支付(支付宝、微信、银行卡、信用卡、二维码)

Support cashless payment (Alipay, WeChat, bank card, credit card, QR code)

通过NAYAX机器支持信用卡和银行卡

Support credit cards and bank cards through NAYAX machines





扫码支付
Scan code payment

拒绝复杂
Refuse to be complicated

远程管理
Remote management

强大的云平台
powerful cloud platform

4G/WIFI

便利的支付方式
Convenient payment methods

24营业

无人值守自动贩卖
Unmanned vending machines

Email:Stephy@newsaier.com

橙汁贩卖机
ORANGE JUICE VENDING MACHINE



新鲜橙子
Fresh orange

5℃-8℃
5 ℃-8 ℃

容易清洗
easy to clean

臭氧杀菌
ozone sterilization

食品级
food grade

24小时工作
24-hour operation







60个独立果槽
（可放360个橙子）

60 independent fruit troughs
(Can hold 360 orange)

3000MAX

机器尺寸 Machine size：1330x1020x2100mm
功率Total power：1500W
毛重/净重N.W/G.W：450KG/535KG
电压 Voltage：220V/110V
出杯速度 Cup-out speed：70 seconds/cup
橙子尺寸 Orange size：50-100 mm
系统 System：Android system
语言 Language：可定制all main languages availabe
屏幕尺寸Dimensions of the touch screen：21.5 inch
橙子储存量 Orange storage capacity：330oranges,60 fruit bowls
质保 Warranty：1year
支付方式 Mode of payment： Alipay+WeChat+Qr code,cash,credit card
杯数 Numberofcups：70 cups
温度Temperature：5-8℃(whole machine cooling)

优势 Advantage

定制Customization:
支付方式、语言、外观Payment method, language, appearance
后台监控Backend monitoring:
手机端后台，实时控制机器①运行状态(数据)2)故障预警③缺货橙子、杯子)
Mobile backend, real-time control of machine ① operating status (data)
② fault warning ③ out of stock (oranges, cups)
健康Health:
配件为食品级，配件可拆卸清洗臭氧消毒，保持整机清洁
The accessories are food grade and can be disassembled for cleaning and ozone disinfection to keep the whole machine clean
占地面积小Small footprint:
占地1.5平米occupying 1.5 square meter
售后After sales:
1年保修，提供易损件，在线视频支持
1-year warranty, provision of vulnerable parts, online video support

苹果汁售货机
APPLE JUICE VENDING MACHINE



新鲜苹果
Fresh apples

5℃-8℃
5 ℃-8 ℃

容易清洗
easy to clean

臭氧杀菌
ozone sterilization

食品级
food grade

24小时工作
24-hour operation



独家榨汁技术
Exclusive squeezing technology



60个独立果槽
（可放300个苹果）
60 independent fruit troughs
(Can hold 300 apples)

NS-5000S

机器尺寸 Machine size:1330x1020x2000mm
功率 Total power:1500W
毛重/净重N.W/G.W:450KG/535KG
苹果储存量 Apple storage capacity:330apples,60 fruit bowls
出杯速度 Cup-out speed: 45seconds/cup
电压Voltage:220V/110V
语言 Language:可定制 all main languages availabe
屏幕尺寸Dimensions ofthe touch screen: 21.5Inch
质保 Warranty:1year
苹果尺寸Apple size:≤90 mm
系统System: Android system
支付方式 Mode of payment: Alipay+WeChat+Qr code,cash,credit card
杯数 Numberofcups:100 cups
温度Temperature:5-8° ℃(whole machine refrigeration)

优势 Advantage

定制Customization:
支付方式、语言、外观Payment method, language, appearance
后台监控Backend monitoring:
手机端后台，实时控制机器①运行状态(数据)2)故障预警③缺货苹果、杯子)
Mobile backend, real-time control of machine ① operating status (data)
② fault warning ③ out of stock (apples, cups)
健康Health:
配件为食品级，配件可拆卸清洗臭氧消毒，保持整机清洁
The accessories are food grade and can be disassembled for cleaning and ozonedisinfection to keep the whole machine clean
占地面积小Small footprint:
占地1.5平米occupying 1.5 square meter
售后After sales:
1年保修，提供易损件，在线视频支持
1-year warranty, provision of vulnerable parts, online video support

梨汁售货机
PEAR JUICE VENDING MACHINE



新鲜梨子
Fresh pear

5℃-8℃
5 ℃-8 ℃

容易清洗
easy to clean

臭氧杀菌
ozone sterilization

食品级
food grade

24小时工作
24-hour operation



独家榨汁技术
Exclusive squeezing technology



60个独立果槽
（可放300个梨子）
60 independent fruit troughs
(Can hold 300 pears)

NS-5000S-1

机器尺寸 Machine size：1330x1020x2000mm
功率 Total power：1500W
毛 重/净重N.W/G.W：450KG/535KG
梨子储存量 storage capacity：330apples 60 fruit bowis
出杯速度 Cup-out speed；45 seconds/cup
电压Voltage：220V/110V
语言 Language：可定制 all main languages available
屏幕尺寸Dimensions of the touch screen：21.5Inch
质保 Warranty：1year
梨子尺寸 pear size：≤90 mm
系统System：Android system
支付方式 Mode of payment： Alipay+WeChat+Qr code,cash,credit card
杯数 Number ofc ups：100 cups
温度Temperature：5-8℃(whole machine refrigeration)

优势 Advantage

定制Customization:
支付方式、语言、外观Payment method, language, appearance
后台监控Backend monitoring:
手机端后台，实时控制机器①运行状态(数据)2)故障预警③缺货（梨子、杯子)
Mobile backend, real-time control of machine ① operating status (data)
② fault warning ③ out of stock (pears, cups)
健康Health:
配件为食品级，配件可拆卸清洗臭氧消毒，保持整机清洁
The accessories are food grade and can be disassembled for cleaning and ozonedisinfection to keep the whole machine clean
占地面积小Small footprint:
占地1.5平米occupying 1.5 square meter
售后After sales:
1年保修，提供易损件，在线视频支持
1-year warranty, provision of vulnerable parts, online video support

番茄汁售货机
TOMATO JUICE VENDING MACHINE



新鲜番茄
Fresh tomato

5℃-8℃
5 ℃-8 ℃

容易清洗
easy to clean

臭氧杀菌
ozone sterilization

食品级
food grade

24小时工作
24-hour operation



独家榨汁技术
Exclusive squeezing technology



60个独立果槽
（可放360个番茄）
60 independent fruit troughs
(Can hold 300 tomatos)

NS-5000S-2

机器尺寸 Machine size:1330x1020x2000mm
功率 Total power:1500W
毛重/净重N.W/G.W:450KG/535KG
番茄储存量 tomato storage capacity:330apples,60 fruit bowls
出杯速度 Cup-out speed: 45seconds/cup
电压Voltage:220V/110V
语言 Language:可定制 all main languages availabe
屏幕尺寸Dimensions ofthe touch screen: 21.5Inch
质保 Warranty:1year
番茄尺寸tomato size:≤90 mm
系统System:Android system
支付方式 Mode of payment: Alipay+WeChat+Qr code,cash,credit card
杯数 Numberofcups:100 cups
温度Temperature:5-8°C(whole machine refrigeration)

优势 Advantage

定制Customization:
支付方式、语言、外观Payment method, language, appearance
后台监控Backend monitoring:
手机端后台，实时控制机器①运行状态(数据)2)故障预警③缺货番茄、杯子)
Mobile backend, real-time control of machine ① operating status (data)
② fault warning ③ out of stock (tomatos, cups)
健康Health:
配件为食品级，配件可拆卸清洗臭氧消毒，保持整机清洁
The accessories are food grade and can be disassembled for cleaning and ozone disinfection to keep the whole machine clean
占地面积小Small footprint:
占地1.5平米occupying 1.5 square meter
售后After sales:
1年保修，提供易损件，在线视频支持
1-year warranty, provision of vulnerable parts, online video support

冰淇淋贩卖机
ICE CREAM VENDING MACHINE



32英寸超大横屏
32-inch large horizontal screen

全自动出杯口
Fully automatic cup outlet

超大可视窗门
large visual windows and doors

膨化率高达43%
Expansion rate as high as 43%

臭氧杀菌装置
Ozone sterilization device

30秒一杯冰淇淋，连续100杯不冻缸


One cup of ice cream in 30 seconds, 100 consecutive cups of ice-free cylinder

4000MAX

尺寸 Machine size：900x900x2260mm
重量 G.W：300kg
杯子容量 Cup volume：80-100g
速度 Molding speed：15-20sec/cup
电压Voltage：220V/110V
语言 Language：可定制all main languages available
屏幕尺寸 Screen size：32Inch
质保 Warranty：1year
功率 Power：1500W



内部展示 Internal Display



①冰淇淋奶缸：14L（预冷保鲜）
Ice cream milk tank: 14L (pre-cooled to keep fresh)

②杯架 50pcs*5 可放 约250个杯子
Cup holder 50pcs*5 can hold about 250 cups

③顶料盒(2种口味)
Topping box (2 flavors)

④放果酱冰箱:制冷防止果酱变质(3种口味）
Put jam in the refrigerator: Refrigeration to prevent jam from deteriorating (3 flavors)



棉花糖售货机
COTTON CANDY VENDING MACHINE



36种花型
36 flower types

1分钟出糖
and the sugar will come out in 1 minute

多种口味搭配
Variety of flavors



DL503

机器尺寸 Machine size：1300x800x1800mm
重量 G.W：225kg
花型配置 Pattern configuration：36 flower types
屏幕尺寸 Screen size：21.5Inch
电压 Voltage：220V/110V
语言 Language：可定制all main languages available
显示配置Display configuration：3C tempered glass display window
质保 Warranty：1year
功率 Power：2500W





售货机 SNACK & BEVERAGE
VENDING MACHINE







MS-10C-1

名称:饮料零食综合机
尺寸:1920x1230x875MM
颜色:白色，黑色(可定制个性化颜色)
重量:320kg
容量规格:6层，60种，360瓶左右
功率:550W(冷)/600(热)，220V，50HZ
支付系统:支付宝支付，微信支付等
温度控制:制冷，恒温，常温模式(可定制加热)
联网方式:4G联网模块(全网通)

Appearance	Dimension：1920mmx1222mmx875mm Color：White/ Black /OEM Screen：5 “LCD
Mechanical Specification	Machine Weight：300 kgs Ship Weight：310 kgs Selections：60 max Capacity：300-900 pcs Tray Type：Spiral/Push/Conveyor belt... Payment System：All industry standard MDB compatiable devices
Electronic Specification	Voltage：AC110V-240V,50-60Hz Cooler Temp Range：2℃~25℃
Features	Standard Features：LED Lighting/Drop Sensor/Glass Heating Optional：Cloud system/Alarm/Wheels/Custom decal/etc.



升降自动售货机
LIFT VENDING MACHINE

MS-10C-001X





尺寸Size:1920X1230X875mm
颜色Color:白色、黑色White ，Black (可定制customizable personalized color)
重量Weight：320kg
货道Freight aisle：皮带货道，可以任意组合Convey belt moving , can be combined arbitrarily
容量规格Capacity specifications：6 layers, 60 types, around 360 bottles
功率Power：610W(冷cold)/660W(热hot)，220V，50HZ
支付方式 Mode of payment：Alipay+WeChat+Qr code,cash,credit card
温度控制Temperature control：制冷，恒温，常温模式;(可定加热)
cooling, constant temperature, room temperature mode; (Heating can be customized)
售卖商品Products for sale：玻璃制品，牛奶，蔬菜等Glass products, milk, vegetables, etc
联网方式Networking method：4G(全网通full network)

FROZEN
VENDING MACHINE

MS -9C-L



-20℃

Appearance	Dimension：1935mmx1660mmx1080mm Color：White/ Black /OEM Screen：21.5" touch screen
Mechanical Specification	Machine Weight：400 kgs Ship Weight：410 kgs Selections：54 max Capacity：300-600 pcS Tray Type：Belt/Spiral Payment System：All industry standard MDB compatiable devices
Electronic Specification	Voltage：AC110V-240V,50-60Hz Cooler Temp Range：-25℃~-15℃
Features	Standard Features：LED Lighting/Drop Sensor/Glass Heating Optional：Cloud system/Alarm/Wheels/Custom decal/etc.

盒饭机
LUNCH BOX VENDING MACHINE


MS -4C-002



Appearance	Dimension：1940mmx1790mmx975mm Color：white/black/OEM Screen：21.5" touch screen
Mechanical Specification	Machine Weight：380 kgs Ship Weight：390 kgs Selections：70 max Capacity：60-100 pcs Product Channel Type：Conveyor belt (spiral, pusher are available) Payment：All industry standard MDB compatiable devices Delivery Methods：Elevator System
Electronic Specification	Voltage：AC110V-220V,50-60Hz Cooler Temp Range：2℃~25℃ Refrigerant：R290/R452a
Features	Standard Features：LED Lighting,Drop Sensor/Glass Heating

开门柜 SNACK & BEVERAGE VENDING MACHINE

冷藏单门4层 COOLING SINGLE DOOR 4 LAYERS
4层~8盘 4~8 TRAYS





型号：MS-400

外形尺寸 External dimensions ： L660*W600*H1983mm
日耗电量Daily Power Consumption：2.6KW-h/24h
内部尺寸 Internal dimensions ： L580*W510*H1362mm
有效内容积Available Volume : 400L
识 别方式Identification Method：称重识别Weighing
产 品重量machine weight :110kg
产品材质Material:家电板Appliance Panel
托盘承重：Large tray 40kg, Small tray 20kg
误差率 Error Rate：2g-4g/40kg 1g-3g/20kg
层架数量Number of shelves：4层4~8盘4 layers, 4-8 trays
选购方式Purchase Options:扫码/刷脸开门取货Scan QR Code/Face Recognition for Delivery
温度范围Temperature Range：2℃-10℃（可调节Adjustable between ）
机身排水装置Drainage System:：强制蒸发系统Forced Evaporation System (标配Standard)
保温厚度-整体发泡 Insulation foam panel Thickness：40mm
制冷方式Cooling Method：无霜风冷系统Frost-Free Air Cooling System
购物监管 Shopping Control：高精度称重传感器识别High-Precision Weighing Sensor

冷藏双门4层 COOLING DOUBLE DOOR 4 LAYERS
8盘~16盘 8~16 TRAYS






型号：MS-900

外形尺寸 External dimensions：L1200*W720*H1960mm
日耗电量Daily Power Consumption：5.4KW-h/24h
内部尺寸 Internal dimensions ： L1100*W610*H1410mm
有效内容积 Available Volume:900L
识别方式 Identification Method：称重识别Weighing
产品重量machine weight ： 190kg
产品材质 Material：家电板 Appliance Panel
保温厚度-整体发泡Insulation foam panel Thickness: 40mm
托盘承重tray Capacity：Large tray 40kg, Small tray 20kg
误差率Error Rate： 2g-4g/40kg 1g-3g/20kg
层架数量Number of shelves：4~8盘 8-16 trays
选购方式Purchase Options：扫码/刷脸开门取货Scan QR Code/Face Recognition for Delivery
温度范围Temperature Range：2℃-10℃（可调节Adjustable between)
机身排水装置Drainage System：强制蒸发系统Forced Evaporation System (标配Standard)
制冷方式 Cooling Method：无霜风冷系统Frost-Free Air Cooling System
购物监管Shopping Control：高精度称重传感器识别High-Precision Weighing Sensor

1 **支付方式Payment Methods:**
微信/支付宝扫码支付、会员卡支付、刷脸支付(可加选配)
WeChat/Alipay QR Code, Membership Card, Face Recognition Payment (Optional)

开门柜 SNACK & BEVERAGE VENDING MACHINE

冷冻单门 FROZEN SINGLE DOOR 5 LAYERS
5层5盘~10盘 5-10TRAYS






型号：MS-500L

外形尺寸 External dimensions ： L650*W720*H2120mm
日耗电量Daily Power Consumption：6.8KW-h/24h
内部尺寸 Internal dimensions ： L530*W600*H1530mm
有效内容积Available Volume： 500L
识别方式Identification Method：称重识别Weighing
产品重量machine weight :120kg
产品材质 Material：家电板Appliance Panel
托 盘 承 重tray Capacity： Large tray 40kg, Small tray 20kg
误差率Error Rate：2g-4g/40kg 1g-3g/20kg
层架数量Number of shelves：5层5~10盘 5 layers, 5-10 trays
选购方式Purchase Options:扫码/刷脸开门取货Scan QR Code/Face Recognition for Delivery
温度范围Temperature Range：-15℃/-18℃(可调节Adjustable between)
保温厚度-整体发泡nsulation foam panel Thickness：60mm
机身排水装置Drainage System：强制蒸发系统Forced Evaporation System(标配Standard)
制冷方式Cooling Method：无霜风冷系统Frost-Free Air Cooling System
购物监管Shopping Control：高精度称重传感器识别High-Precision Weighing Sensor

冷冻双门 FROZEN DOUBLE DOOR 5 LAYERS
5层10盘~20盘 10-20TRAYS





型号：MS-1000L

外形尺寸 External dimensions ： L1260*W690*H2130mm
日耗电量Daily Power Consumption：12KW-h/24h
内部尺寸Internal dimensions ： L1140*W580*H1590mm
有效内容积 Available Volume:1000L
识别方式 Identification Method：称重识别Weighing
产品重量machine weight :230kg
产品材质Material：家电板Appliance Panel
托盘承重tray Capacity：Large tray 40kg, Small tray 20kg
误差率 Error Rate: 2g-4g/40kg 1g-3g/20kg
层架数量Number of shelves：5层10~20盘 5 layers, 10-20 trays
选购方式Purchase Options:扫码/刷脸开门取货Scan QR Code/Face Recognition for Delivery
温度范围Temperature Range:-18℃/-22℃（可调节Adjustable between ）
保温厚度-整体发泡 Insulation foam panel Thickness：60mm
机身排水装置Drainage System：强制蒸发系统Forced Evaporation System(标配Standard)
制冷方式Cooling Method：无霜风冷系统Frost-Free Air Cooling System
购物监管Shopping Control：高精度称重传感器识别High-Precision Weighing Sensor


2 **柜门材 质Door material:**
纯铝合金双层中空/内外全钢/180 度自动回弹/镀膜 玻璃门/电加热玻璃门(可选配)
Pure double-layer hollow aluminum alloy / All-steel interior and exterior / 180-degree automatic rebound/ Coated glass door / Electric heated glass door (optional)

3 **后台管理Back end management:**
PC+小程序智慧SAAS云管理平台
Back end management: PC + mini-program intelligent SAAS cloud management platform

鲜花售货机
flower vending machine

型号：XH-11　Diamond Self-service Machine





外形尺寸External dimensions：
L1560*W870*H2200mm
隔间尺寸Compartment dimensions：
L650*W590*H580mm
L650*W590*H880mm
颜色Color：黑色/白色 Black/white
压缩机品牌Compressor brand:
一体式Integrated unit
额定功率Rated power：700W
额定电压Rated voltage：220V
重量Weight： 360KG

型号：XH-08　180-0utdoor Machine






外形尺寸External dimensions：
L1800*W750*H2150mm
隔间尺寸Compartment dimensions：
L418*W560*H895mm
L418*W560*H815mm
L418*W560*H473mm
颜色Color：黑色/白色 Black/white
压缩机品牌Compressor brand:
一体式Integrated unit
额定功率Rated power：600W
额定电压Rated voltage：220V
重量Weight： 410KG

独特的保鲜技术保鲜时间可达15天
Unique preservation technology for up to 15 days

鲜花售货机
flower vending machine

型号：XH-09　180-9 Flower Gift Machine






外形尺寸External dimensi ons：
L1800*W750*H2200mm
隔间尺寸Compartment dimensions：
L520*W550*H500mm
L284*W550*H500mm
颜色Color：黑色/白色 Black/white
压缩机品牌Compressor brand:
一体式Integrated unit
额定功率Rated power：600W
额定电压Rated voltage：220V
重量Weight：410KG

型号：XH-06　120-6 Flower Gift Machine





外形尺寸External dimensions：
L1200*W750*H2200mm
隔间尺寸Compartment dimensions：
L349*W550*H500mm
L520*W550*H500mm
颜色Color：黑色/白色 Black/white
压缩机品牌Compressor brand:
一体式Integrated unit
额定功率Rated power：400W
额定电压Rated voltage：220V
重量Weight：260KG

- **制冷及控制方式Refrigeration and control mode:**
  触摸恒温智能温控，风冷Touch constant temperature intelligent temperature control, air cooling
- **软件支持Software support:**
  加密远程智能操作系统Encrypted remote intelligent operating system
- **照明Lighting:**
  LED专业冷库照明LED professional refrigerator lighting
- **工作温度Operating temperature:**
  夏季In summer: 7-12摄氏度7-12 degrees 冬季Celsius winter: 5-10摄氏度5-10 degrees Celsius

巧克力豆售货机
CHOCOLATE BEAN VENDING MACHINE





01 选择颜色 Choose a color

02 扫码支付 Scan code payment

03 等待出杯 wait for finished cup come out

NS-9000

机器尺寸 Machine size：1300*620*(1800+250lamp)mm
功率 Total power：500W
机器容量Machine capacity：7.5kg*7boxes 90 cups
speed：30~40second to make one cup, around 40 beans/color every time
制冷温度Cooling temperature：15-25℃
电压Voltage：220v 50Hz /110v 60Hz
语言Language：all main languages
支付方式 Payment method：optional according to each country
重量G.W：230KG
质保 Warranty：1 year
cup size：120Z(350ml +/-)top dia.9cm, height:9-13cm
computer screen：21.6"/LCD Screen
HS CODE：8476210000



现磨冷热咖啡机
BEAN-TO-CUP COLD&HOT COFFEE VENDING MACHINE



运营优势
Operational advantage

- 机器便宜体积小，减少场地租金。
- Ditting专业研磨机。
- 意大利高压萃取，采用意大利萃取技术。
- 体积小，重量轻，结构可靠，维护简单，维修率低。
- 能快速连续的制造冰美式咖啡，温度在4度左右并可立即饮用，口感一致好评。
- 巴氏杀菌系统保证健康安全。

- The machine is cheap and small in size, reducing site rent.
- Ditting professional grinder.
- Italian high pressure extraction,using Italian extraction technology.
- Small size, light weight, reliable structure, simple maintenance, low maintenance rate.
- It can make iced American coffee lower than 4 ℃,the normal cup temperature is 4-5 ℃ and can be drunk.
- Pasteurization system to keep health safe.

PLE7C

尺寸 Machine size：650x768x1830mm
重量 G.W：150kg
规格 Specifications：一杯16g a cup of 16g
出杯速度 Molding speed：60秒60sec
电压 Voltage：220V/110V
语言 Language：可定制all main languages
屏幕尺寸 Screen size：21.5Inch
质保 Warranty：1year
功率 Power：2000W







机械手蛋筒冰淇淋

ROBERT ARM ICE CREAM MACHINE



超大观测玻璃窗
Ultra large measuring glass window

智能操作屏
Intelligent operation screen

防夹手门
Anti pinch door

24小时售卖	24-hour sales
机器人现制冰淇淋	Robot made ice cream
自助点单支付	Self service order payment

优势 Advantage

占地面积小: 占地面积1.1平方,可以投放多种场合

无人化经营：24小时营业、无需人工看管有效降低成本，投资小、回报高

制作速度快：30秒一杯冰淇淋，连续100杯不冻缸

操作简单: 只需要添加原料和蛋筒操作简单

Small footprint: Covering an area of 0.8 square meters, it can be placed in a variety of situations

Unmanned operation:Open 24 hours, no manual supervision required, effectively reducing costs, small investment, high returns

Fast production: One cup of ice cream in 30 seconds, 100 consecutive cups of ice-free cylinder

Easy to operate:Simple operation by just adding ingredients and Soft cones

NS-1000S

机器尺寸 Machine size：1000x1170x1950mm

功率 Total power：1150W

重量 GW：250KG

蛋筒储存量 cone quantity：96个

电压Voltage：220V/110V

语言 Language：可定制 all main languages availabe

质保 Warranty：1year

系统 System：Android system

支付方式 Mode of payment：Alipay+WeChat+Qr code,cash,credit card

产能Capacity：25s/个



机械手臂Mechanical arm




蛋筒架egg cone rack(96)

自动机械手咖啡机

ROBOT COFFEE MACHINE


Lungo咖啡、澳洲黑咖啡、美式咖啡、拿铁、摩卡、馥瑞白、巧克力牛奶、热巧克力、奶茶等

Lungo coffee, Australian black coffee, American coffee, iced coffee, latte,mocha, Freiberinstant coffee, chocolate milk, hot chocolate, milk tea, iced tea, etc.



爆米花售货机
POPCORN VENDING MACHINE





智能微电脑芯片-整机智能管理

Intelligent microcomputer chip
whole machine intelligent management



NS-8000

电压 Voltage：220V/110V

机器尺寸 Machine size：500 × 450 × 1700mm(长宽高length, width and height)

功率 Total power：1850W

重量 G.W： 55KG

杯桶容量 Cup capacity：60 cups

杯子容量Cup size: 32 Oz

出品时间 Production time：120S/cups

左/右仓容量 Left/right bin capacity：

2.8kg玉米*2/约70杯*2种口味 2.8L * 2 (about 70 cups * 2) for 2 flavors

支付方式 Payment method：

国内:(支付宝和微信)Domestic: (Alipay and wechat)

出口:纸币/硬币和刷卡Exports: paper money/coins and credit cards

定制服务 Customized service：

可自定义广告视频Customizable advertisement video



整机加厚板材
Whole machine thickened sheet metal



实现远程管理 账目清晰
Realize clear remote management of accounts



智能简易 1年免费保修
Intelligent and easy 1-year free warranty





Daily work:
adding ingredients
to cups and collecting
money

椰子售货机
COCONUT VENDING MACHINE





VMCC-01A

机器尺寸 Machine size：1150x890x2020mm

重量G.W：350kg

椰子储存量 Coconut storge：约105个椰子about 105 coconuts

电流 Electricity：2-7A

电压 Voltage：220V/110V

语言 Language：可定制all main languages availabe

屏幕尺寸 Screen size：43Inch

质保 Warranty：1year

功率 Power：1500W





披萨机
PIZZA VENDING MACHINE



灯箱(可拆卸) Light box (detachable)

55 寸显示屏 55 inch display screen

烤箱窗口 Oven window

刷卡器Card reader

投币器Coin dispenser

纸钞器Paper money dispenser

PDG-1000

机器尺寸 Machine size：1050x1800x2360mm

占地面积area covered：2㎡

屏幕screen：55Inch

温控模式Temperature mode：

冷藏型- 15℃~5 ℃可调Refrigerated type adjustable from - 15℃~5 ℃

电压Voltage：220V/110V

功率 Total power ：600-3500W

食品加热系统Food heating system：风循环加热Wind circulation heating

支付方式 Payment method

国内:(支付宝和微信)Domestic: (Alipay and wechat)

出口:纸币/硬币和刷卡Exports: paper money/coins and credit cards

重量G.W：400KG





鲜果奶昔机
FRUIT SMOOTHIE MACHINE





多口味搭配

Multi flavored pairing

独立封装冷冻

Independent packaging and freezing

单杯鲜榨

Single cup freshly squeezed

6000MAX

尺寸 Machine size：1260x910x1900mm

重量G.W：150kg

存货量 Inventories：360 goods

规格 Specification：6层10货道There are 6 Layers in total,
with 10 lanes on each Layers

电压 Voltage：220V/110V

语言 Language：可定制all main languages

屏幕尺寸 Screen size：21.5Inch

质保 Warranty：1year

功率 Power：750W





宠物洗澡机
PET BATH MACHINE




洗宠流程　Pet washing process

扫码下单→开门进宠→洗护烘干→领走宠物→消毒杀菌

Scan the code to place an order → Open the door, put the dog in → Wash and dry→ Take away the pet → Disinfect and sterilize

CM-100

电压 Voltage：110V/220V
语言 Language：可定制all main languages available
质保 Warranty：1year
支付方式 Mode of payment：Alipay+WeChat,cash,credit card



优势　Advantage

- 快洗快干
- 内外双循环新风系统，不闷热
- 超大空间
- 智能触摸
- uv生物灭菌，一洗一消杀
- 24小时运营

- Wash and dry quickly
- Internal and external dual circulation fresh air system, not stuffy
- Extra large space
- Intelligent Touch-screen
- UV biological sterilization, Sterilize after every each wash
- 24-hour operation

宠物用品售货机
PET SUPPLIES VENDING MACHINE





可以放置在小区、宠物医院、宠物店等场所。
It can be placed in residential areas, pet hospitals, pet stores，and other places.

24 小时服务
24-hour service
商品种类丰富
Rich variety of products

CM-200

型号 Model：CM-200
货道Freight Road：6层9货道There are 6 Layers in total, with 9 lanes on each Layers
电压 Voltage：110V/220V
语言 Language：可定制all main languages available
质保 Warranty：1year
功率 Power：750W
支付方式 Mode of payment：Alipay+WeChat,cash,credit card



优势　Advantage

- 售卖种类多样
- 智能化，操作简单方便
- 24小时运营
- 远程后台管理
- 减少人工销售环节
- 投放多种场地

- Diverse types of sales
- Intelligent, easy and convenient to operate
- 24-hour operation
- Remote backend management
- Reduce manual sales process
- Placed in various venues

下洗上烘投币洗鞋机
STACK COIN SHOES WASHER MACHINE



功能特点:

- 占地面积小，地脚不用固定并可调整
- 洗涤、烘干可独立运行
- 洗涤、烘干流程支持参数自我编程。
- 兼容支持投币/刷卡/互联网支付。
- 商用品质，具备自动检测故障功能。
- 自助添加洗涤液。

Features:

- The footprint is small, and the foundation does not need to be fixed and can be adjusted
- Washing and drying can operate independently
- The washing and drying process supports parameter self programming
- Compatible with support for coin insertion, swiping card, and internet payments
- Commercial quality , automatic fault detection function
- Self added detergent







产品型号Model：SE-90

电压Voitage：220~240V 50Hz

额定功率Rated Power：1700W(W:600W D:1100W)

洗涤容量Washer Capacity：4~6 pairs

烘干容量Dryer Capacit：4~6 pairs

脱干转速Spin Speed：1000rpm

安装尺寸Dimensions：1670x720x600(HxDxWmm)

包装尺寸Packing Size：1790x790x630(HxDxWmm

净重/毛重Weight(NG)：100kg/128kg



自助手机壳打印机
PHONE CASE PRINTER





SJK-01



产品特点 Product Features

- 支持打印多种手机壳
- 占地地面积小（1.5㎡）
- 高清数码自喷，高度还原画质
- 线上设计师共享平台

- Support printing multiple phone cases
- Small land area (1.5 square meters)
- High definition digital self spray, highly restored image quality
- Online designer sharing platform

全自动现磨咖啡机

ONE-BUTTON AUTOMATIC COFFEE MACHINE

KL-E2S



豆缸及废料容量
Bean jar and waste capacity

豆缸：1.5kg
废渣桶：可以放50块咖啡废渣
bean tank: 1.5kg
bucket capacity: 50pcs coffee
waste residue

KL-E3S



豆缸及废料容量
Bean jar and waste capacity

豆缸：1.2kg
废渣桶：可以放50块咖啡废渣
bean tank: 1.2kg
bucket capacity: 50pcs coffee
waste residue

饮品类型 Drink type

Lungo咖啡、澳洲黑咖啡、美式咖啡、拿铁、摩卡、馥瑞白、巧克力牛奶、热巧克力、奶茶等
Lungo coffee, Australian black coffee, American coffee, iced coffee, latte,mocha, Freiberinstant coffee, chocolate milk, hot chocolate, milk tea, iced tea, etc.

磨豆机 Grinder：直径64平刀(瑞士Ditting)Diameter 64 flat knife (swiss Ditting)

语言 Language：中/英(所有国家的语言都可以定制)(all countries'languages canbe customized)

外观Exterior design：可以定制机身颜色、贴纸等 Body colors,stickers,etc.can be customized



- 机器尺寸Machine size：350*810*560mm
- 净重/毛重 N.W./G.W.： 40KG
- 最高设置温度Maximum setting temperature：95℃
- 总功率 Total power：2000W
- 屏幕Screen size：10 “capacitive touch screen
- 电源 Power supply：110V/220V,50/60HZ，10A
- 蒸汽锅炉 Steam boilers：1.8L(1400W)
- 咖啡冲泡器 Coffee brewer：16g(with boost)
- 粉盒 Powder bo：2*0.8kg /3*0.8kg
- 支付系统 Paymentsystem：QR code(Alipay/WeChat)
- 供水方式 Water supply mode：Filtered water/18.9Lbottled water
- 小杯架 Small cup holders：有 have
- 咖啡冲泡压力coffee brewing pressure：9-10bar
- 出杯速度 Cup-outspeed：60cups/hour(American /12-ounce cup)

Food safety control

Insect resistant design of the whole machine




Whole machine humidity control design

Programmable timed automatic cleaning function for the entire waterway

COMMERCIAL ESPRESSO COffEE MACHINE

JL29A





- 重量G.W：15kg
- 操作界面Operation interface：7 inch touch screen (landscape)
- 蒸汽锅炉steam boiler：无not have
- 水泵Pump type：电磁泵1 Electromagnetic pump
- 独立热水管Independent hot water pipe：无not have
- 鲜奶模块Fresh milk module：无not have
- 鲜奶冰箱Fresh milk refrigerator：无not have
- 出嘴高度Mouth height：80-160mm
- 意热水锅炉hot-water boiler：1个,1500W
- 意式高压冲泡器Coffee brewer：S14x1,optionalS20
- 研磨器Grinder：SGH64x1
- 咖啡豆盒Coffee bean box：1200gx1
- 外形尺寸Dimensions：300*540*490mm
- 电压/频率Voltage/Frequency：220-240V50/60HZ

COMMERCIAL FRESH MILK COffEE MACHINE

JL30





- 重量G.W：17kg
- 操作界面Operation interface：7 inch touch screen (landscape)
- 蒸汽锅炉steam boiler：无not have
- 水泵类型Pump type：电磁泵1 Electromagnetic pump
- 独立热水管Independent hot water pipe：not have
- 鲜奶模块Fresh milk module：无not have
- 鲜奶冰箱Fresh milk refrigerator：可选optional
- 出嘴高度Mouth height：80-160mm
- 意热水锅炉hot-water boiler：1个,1500W
- 意式高压冲泡器Coffee brewer：S14x1,optionalS20
- 研磨器Grinder：SGH64x1
- 咖啡豆盒Coffee bean box：1200gx1
- 外形尺寸Dimensions：300*540*490mm
- 电压/频率Voltage/Frequency：220-240V50/60HZ



COMMERCIAL EffiCIENT FRESH MILK COffEE MACHINE

JL31A





- 重量G.W：18kg
- 操作界面Operation interface：7 inch touch screen (landscape)
- 蒸汽锅炉steam boiler：1个,1500W
- 水泵类型Pump type：电磁泵1 Electromagnetic pump
- 独立热水管Independent hot water pipe：Yes
- 鲜奶模块Fresh milk module：Yes (simultaneously serving coffee and fresh milk)
- 鲜奶冰箱Fresh milk refrigerator：optionaloptional
- 出嘴高度Mouth height：80-160mm
- 意热水锅炉hot-water boiler：1个,1500W
- 意式高压冲泡器Coffee brewer：S14x1,optionalS20
- 研磨器Grinder：SGH64x1
- 咖啡豆盒Coffee bean box：1200gx1
- 外形尺寸Dimensions：300*540*490mm
- 电压/频率Voltage/Frequency：220-240V50/60HZ

COMMERCIAL 10” SCREEN FRESH MILK COffEE MACHINE

JL31B





- 重量G.W：22kg
- 操作界面Operation interface：10 inch touch screen (landscape)
- 蒸汽锅炉steam boiler：1个,1500W
- 水泵类型Pump type：2x电磁泵2xElectromagnetic pump
- 独立热水管Independent hot water pipe：Yes
- 鲜奶模块Fresh milk module：Yes (simultaneously serving coffee and fresh milk)
- 鲜奶冰箱Fresh milk refrigerator：optionaloptional
- 出嘴高度Mouth height：80-160mm
- 意热水锅炉hot-water boiler：1个,1500W
- 意式高压冲泡器Coffee brewer：S14x1,optionalS20
- 研磨器Grinder：SGH64x1
- 咖啡豆盒Coffee bean box：1200gx1
- 外形尺寸Dimensions：300*540*490mm
- 电压/频率Voltage/Frequency：220-240V50/60HZ

废渣盒容量Capacity of waste bin：40个渣饼，外排可选 40 Waste residue , optional for external discharge
接水盘容量Capacity of water tray：1L, waste water discharge optional
系统system：安卓/可选，物联网云端远程管理系统Android/optional, IoT cloud remote management system

联网方式Network
Wifi/4G

供水方式 Water supply method	标配：2L内置水箱,桶装水;可选:8L内置水箱;直饮水; 标配:8L内置水箱,桶装水;可选:2L内置水箱;直饮水;Standard configuration: 2L built-in water tank, bottled water; Optional: 8L built-in water tank; Direct drinking water; Standard configuration: 8L built-in water tank, bottled water; Optional: 2L built-in water tank; Direct drinking water;

橙汁榨汁机
AUTOMATIC ORANGE JUICER



- 型号 Model：NS2000E-2
- 功率 Power：120W
- 电压 Voltage：220V/110V
- 重量 Weight：43kg
- 橙子尺寸 Size of Orange：50-100mm
- 产量 Output：20 oranges/minute
- 出汁率 Yield：40%-50%
- 尺寸 Size：400L*330W*780H(mm)
- 货柜 Qty1*20/FCL：105sets



- 型号 Model：NS2000E-2T
- 功率 Power：120W
- 电压 Voltage：220V/110V
- 橙子尺寸 Size of Orange：50-100mm
- 产量 Output：20 oranges/minute
- 出汁率 Yield：40%-50%
- 尺寸 Size：400L*330W*780H(mm)
- 重量 Weight：45kg
- 货柜 Qty1*20/FCL：105sets



- 型号 Model：NS2000A-1
- 功率 Power：370W
- 电压 Voltage：220V/110V
- 橙子尺寸 Size of Orange：50-100mm
- 产量 Output：40oranges/minute
- 出汁率 Yield：40%-50%
- 尺寸 Size：665L*630W*1700H(2000A-1)
  665L*540W*1100H(2000A-2/2S)
- 货柜 Qty1*20/FCL：42sets(2000A-1)
  72sets(2000A-2/2S)



- 型号 Model：NS2000E-4P
- 功率 Power：120W
- 电压 Voltage：220V/110V
- 橙子尺寸 Size of Orange：50-100mm
- 产量 Output：20oranges/minute
- 出汁率 Yield：40%-50%
- 尺寸 Size：500L*500W*1600H(2000E-4P)
  500L*540W*960H(2000E-4)
- 货柜 Qty1*20/FCL：42sets(2000E-4P)
  72sets(2000E-4)



- 型号 Model：NS2000E-3
- 功率 Power：120W
- 电压 Voltage：220V/110V
- 橙子尺寸 Size of Orange：50-100mm
- 产量 Output：20 oranges/minute
- 出汁率 Yield：40%-50%
- 尺寸 Size：400L*330W*780H(mm)
- 重量 Weight：45kg
- 货柜 Qty1*20/FCL：105sets



- 型号 Model：NS2000E-4(new type)
- 功率 Power：120W
- 电压 Voltage：220V/110V
- 橙子尺寸 Size of Orange：50-100mm
- 产量 Output：20 oranges/minute
- 出汁率 Yield：40%-50%
- 尺寸 Size：460L*520W*900H(mm)
- 重量 Weight：51kg
- 货柜 Qty1*20/FCL：105sets



- 型号 Model：NS2000B-1
- 功率 Power：370W
- 电压 Voltage：220V/110V
- 橙子尺寸 Size of Orange：50-100mm
- 产量 Output：40oranges/minute
- 出汁率 Yield：40%-50%
- 尺寸 Size：665L*630W*1780H(2000B-1)
  665L*540W*1100H(2000B-2)
- 货柜 Qty1*20/FCL：42sets(2000B-1)
  72sets(2000B-2)



- 型号 Model：NS2000E-4TAP(NEW)
- 功率 Power：120W
- 电压 Voltage：220V/110V
- 橙子尺寸 Size of Orange：50-100mm
- 产量 Output：20oranges/minute
- 出汁率 Yield：40%-50%
- 尺寸 Size：520L*500W*1700H mm
- 货柜 Qty1*20/FCL：48sets

柠檬榨汁机
LEMON JUICER



- 型号 Model：NS2000E-6
- 功率 Power：100W
- 电压 Voltage：220V /100V
- 重量 Weight：25kg
- 出汁率 Juice yiled：>80%
- 产能 output capacity: 60~80kg/hour
- 产品尺寸 Product Size：325x325 x490mm
- 包装尺寸 Package Size：500*390*560mm

商用榨汁机
COMMERCIAL JUICER



- 型号Mode：NS-200B
- 电压 Voltage：220V/110V
- 功率 Power：500 W
- 净重 N.W：7.8KG
- 毛重 G.W：8.8KG
- 产能 Processing Capacity：200杯/h200 cups/h
- 产品尺寸 Product Size：20*17*48cm
- 包装尺寸 Package Size：23*38*89ｃm

商用榨汁机
COMMERCIAL JUICER



- 型号Mode：NS-300B
- 电压 Voltage：220V/110V
- 功率 Power：750W
- 净重 N.W：9KG
- 毛重 G.W：12KG
- 产能Processing Capacity：200杯/h200 cups/h
- 包装尺寸Package Size：63.5*44*28.8cm

甘蔗机
SUGARCANE JUICE MACHINE





- 型号 Model：LFS-SJ3FB17
- 电压 Voltage：220V/110V
- 额定输入功率 Rated Input Power：350W
- 产能 Processing Capacity：300kg/h
- 产品尺寸Product Size：34*32*50cm
- 包装尺寸 Package Size：44*42*60cm
- 净重N.W：45kg
- 毛重 G.W：55kg





- 型号 Model：LFS-SJ3FT17
- 电压 Voltage：220V/110V
- 额定输入功率 Rated Input Power：750W
- 产能 Processing Capacity：300kg/h
- 产品尺寸Product Size：32*34*50cm
- 包装尺寸 Package Size：44*42*60cm
- 净重N.W：44KG
- 毛重 G.W：54KG

离心式榨汁机
COMMERCIAL JUICER



- 型号 Model：NSA1000
- 功率 Power：750W
- 电压 Voltage：220V/110V
- 尺寸 Size：500L*340W*500H(mm)
- 重量 Weight：22kg
- 转速 Rotate speed：2800r/min
- 榨汁量 Speed：120-140kg/hour



- 型号 Model：NSA2000
- 功率 Power：550W
- 电压 Voltage：220V/110V
- 尺寸 Size：430L*350W*450H(mm)
- 重量 Weight：19kg
- 转速 Rotate speed：2800r/min
- 榨汁量 Speed：100-120kg/hour



- 型号 Model：NSA3000
- 功率 Power：370W
- 电压 Voltage：220V/110V
- 尺寸 Size：340L*270W*360H(mm)
- 重量 Weight：12kg
- 转速 Rotate speed：2800r/min
- 榨汁量 Speed：80-100kg/hour

重型榨汁机
HEAVY-DUTY JUICER





冷热果汁机
JUICE DISPENSER



LSJ10L

- 电压 Voltage：220V/110V
- 频率 Frequency：50/60Hz
- 冷冻功率 Freezing power：180W
- 加热功率Heating power：360W
- 冷冻温度Freezing temperatures：7℃~12℃
- 加热温度Heating temperature：52℃~58℃
- 尺寸Size：210L*450W*670H(mm)
- 净重 Weight：13kg



LS J10L

- 电压Voltage：220/110V
- 频率 Frequency：50/60Hz
- 冷冻功率 Freezing power：280W
- 加热功率Heating power：800W
- 冷冻温度Freezing temperatures：7℃~12℃
- 加热温度Heating temperature：52℃~58℃
- 尺寸Size：330L*450W*670H(mm)
- 净重Weight：22kg

雪融机
SLUSH MACHINE



XRJ1OL

- 电压 Voltage：220V/110V
- 频率 Frequency：50/60Hz
- 冷冻功率Freezing power：300W
- 冷冻温度Freezing temperatures：-2℃~-3℃
- 尺寸Size：300L*640W*810H(mm)
- 净重 Weight：28kg



XRJ10LX2

- 电压 Voltage：220/110V
- 频率 Frequency：50/60Hz
- 冷冻功率 Freezing power:400W
- 冷冻温度Freezing temperatures：-2℃~-3℃
- 尺寸Size：470L*580W*790H(mm)
- 净重 Weight：44kg



XRJ10LX3

- 电压 Voltage：220/110V
- 频率 Frequency：50/60Hz
- 冷冻功率 Freezing power：500W
- 冷冻温度Freezing temperatures：-2℃~-3℃
- 尺寸Size：660L*580W*790H(mm)
- 净重 Weight：61kg



台式制冰机
TABLE-TOP ICE MAKER



- 型号 Model：MS-30
- 电压 Voltage：220V
- 额定输入功率 RatedInput Power：430W
- 产能 Processing Capacity：300KG/H
- 产品尺寸 Product Size：357×640×685mm
- 净重N.W：50KG
- 制冷剂/加注量Refrigerant/filling amount：R134a/180g
- 储冰量Ice storage capacity：3kg
- 制冰量Ice making capacity：约70kg/天About 70kg/day
- 制冷方式Cooling method：直冷Direct cooling
- 颜色colour：不锈钢stainless steel



碳酸饮料机
CARBONATED MACHINE





- 型号 Model：KLJ33D-G
- 功率 Power：500W
- 电压 Voltage：220V/110V
- 工作温度 Working temperature：10℃~32℃
- 产品温度Product temperature：2℃~6℃
- 产品尺寸Product size：305*830*700MM
- 包装尺寸 Packing size：440*995*840MM
- 净重/毛重 Net weight/G.W：44KG/53KG
- 出杯量 Output：350ml*30(Continuous cups)
- 水箱容量 Water tank capacity：25L






- 型号 Model：KLJ430A
- 功率 Power：500W
- 电压 Voltage：220V/110V
- 工作温度 Working temperature：10℃~32℃
- 产品温度Product temperature：2℃~6℃
- 产品尺寸Product size：350*752*732MM
- 包装尺寸 Packing size：480*980*840MM
- 净重/毛重 Net weight/G.W：69KG/77KG
- 出杯量 Output：350mi*30(Continuous cups)
- 水箱容量 Water tank capacity：30L

硬冰激凌水果奶昔机
YOGURT MILKSHAKE MAKER







- 型号 Model：NS-2100
- 电压 Voltage：220V/110V
- 机器尺寸 Machine size：310×560×750
- 功率 Total power：1100W
- 净量 G.W：60KG
- 毛重N.W：70KG
- 产能Capacity：50KG/H

鲜果奶昔机
FRUIT SMOOTHIE MACHINE





- 型号 Model：NS-1100
- 电压 Voltage：220V/110V
- 机器尺寸 Machine size：350×560×700mm
- 功率 Total power：1200W
- 净量 G.W：25KG
- 毛重N.W：30KG
- 产能Capacity：1杯/45s



立式冰淇淋机 ICE CREAM



立式小体积
Vertical small volume

单头出料
操作简单 运行稳定
3.5寸液晶触摸显示屏
侧面散热
Single-head discharging
Simple operation and stable operation.
3.5 inch LCD touch screen
Side heat dissipation

RL1-136

- 型号Model：RL1-136-14
- 电压Voltage：220V/110V
- 功率Power ：2.0kW
- 压缩机Compressor：海立Hayrul
- 制冷剂Refrigerant：R22
- 制冷缸Freezing Cylinder：1.9L
- 储料缸Mix Hopper：5.7L
- 净重N.W：105kg
- 产品尺寸Product size：480x720x1380mm

双不锈钢料缸
Double stainless steel material cylinder



按键操作 Key operation
三种口味 Three flavors

双料缸
智能预冷保鲜
操作简单 运行稳定
整体不锈钢材质
Double cylinder
Intelligent precooling and preservation
Simple operation and stable operation.
Integral stainless steel material

RL1-258D

- 型号Model：RL1-258D-15
- 电压Voltage：380V/110V
- 功率Power ：4.2KW
- 压缩机Compressor：艾默生Emerson
- 制冷剂Refrigerant：R22
- 制冷缸Freezing Cylinder：1.9L
- 储料缸Mix Hopper：7.5Lx2
- 净重N.W：165kg
- 产品尺寸Product size：485x760x1460mm

BSN T115Z 型冰淇淋 ICE CREAM



- 型号Model：BSN T115Z 型冰淇淋
- 机器尺寸 Machine size：440×285×530mm
- 功率 Total power：1200W
- 重量G.W：45KG
- 口味Taste：1
- 产量Output：15L
- 电压 Voltage：220V/110V
- 散热Heat dissipation：风冷air cooling
- 显示Display：LED key screen
- 质保 Warranty：1year
- 冷媒Refrigerant：R29
- 进料Feeding：重力下料+气压gravity feeding + gas

产品特点 Product Features

打糕计数	Pounding cake counting
缺料报警	Material shortage alarm
冻缸保护	Freezing cylinder protection
高低压保护	High and low pressure protection
加气膨化泵	Gas injection and expansion pump
出糕硬度可调	Adjustable cake hardness





微通道散热器/汽车超强散热风机
Micro-channel radiator/
super cooling fan for automobile

主要部件 Main components

- 东贝K650CUI/NE2168CU 缩机
  DongBei K650CUI/NE2168CU Compressor
- 0.55Kw减速一体电机
  0.55Kw reduction integrated motor
- 微通道散热器/汽车超强散热风机
  Micro-channel radiator/
  super cooling fan for automobile
- LED 按键屏
  LED key screen
- 1.6L 蒸发器
  1.6L evaporator
- 6L 储料盆
  6L material storage basin

BSN T118Z 型冰淇淋 ICE CREAM



- 型号Model：BSN T118Z 型冰淇淋
- 机器尺寸 Machine size：587×326×644mm
- 功率 Total power：1450W
- 重量G.W：70KG
- 口味Taste：1
- 产量Output：18L-20L
- 电压 Voltage：220V/110V
- 散热Heat dissipation：风冷air cooling
- 显示Display：7 Inch
- 质保 Warranty：1year
- 冷媒Refrigerant：R404A
- 进料Feeding：重力下料+气压gravity feeding + gas

产品特点 Product Features

打糕计数	Pounding cake counting
缺料报警	Material shortage alarm
过夜保鲜	Overnight freshness preservation
冻缸保护	Freezing cylinder protection
高低压保护	High and low pressure protection
加气膨化泵	Gas injection and expansion pump
出糕量可调	Adjustable cake output volume
出糕硬度可调	Adjustable cake hardness

奶浆储料仓防分层搅拌设计
Anti-stratification stirring designfor milk slurry storage tank



8L 储料盆
8L material storage basin



顿力 YWF4E -250 外转子风机
Dunli YWF4E-250 external rotor fan

主要部件 Main components

- 泰康KKCA2435Z/2440Z压缩机
  Taikang KK CA2435Z/2440Z compressor
- 7寸触屏智能主板+R232 接口
  7-inch touch screen intelligent
  mainboard + R232 interface
- 顿力 YWF4E-250 外转子风机
  Dunli YWF4E-250 external rotor fan
- 1.6L 蒸发器
  1.6L evaporator
- 0.55Kw 减速一体电机
  0.55Kw reduction integrated motor
- 8L储料盆
  8L material storage basin

BSN T122Z型冰淇淋 ICE CREAM



- 型号Model：BSN T122Z 型冰淇淋
- 机器尺寸 Machine size：740×388×920mm
- 功率 Total power：1750W
- 重量G.W：90KG
- 口味Taste：1
- 产量Output：20L-25L
- 电压 Voltage：220V/110V
- 散热Heat dissipation：风冷air cooling
- 显示Display：7 Inch
- 质保 Warranty：1year
- 冷媒Refrigerant：R404A
- 进料Feeding：重力下料+气压gravity feeding + gas

产品特点 Product Features

打糕计数	Pounding cake counting
缺料报警	Material shortage alarm
过夜保鲜	Overnight freshness preservation
冻缸保护	Freezing cylinder protection
高低压保护	High and low pressure protection
加气膨化泵	Gas injection and expansion pump
出糕量可调	Adjustable cake output volume
出糕硬度可调	Adjustable cake hardness

奶浆储料仓防分层搅拌设计
Anti-stratification stirring designfor milk slurry storage tank



顿力 YWF4E-300外转子风机
Dunli YWF4E-300 external rotor fan



11L 储料盆
8L material storage basin

主要部件 Main components

- 恩布拉科 NT2192GK压缩机
  Embraco NT2192GK compressor
- 顿力YWF4E-300外转子风机
  Dunli YWF4E-300 external rotor fan
- 7寸触屏智能主板+R232接口
  7Inch touch screen intelligent
  mainboard + R232 interface
- 0.75Kw减速一体电机
  0.75Kw reduction integrated motor
- 1.5Kw 变频器
  1.5Kw frequency converter 2L蒸发器
- 11L储料盆
  11L material storage basin
- 2L evaporator